



MEASURE POSTS AND MARKER POSTS





Measuring posts and marker posts Aluminium posts

Measuring posts and marker posts for cathodic corrosion protection combine the latest application technology with optimal material properties. The outstanding features are security, stability and user-friendliness.

The posts

- made of high-quality aluminium, very stable
- UV and corrosion resistant
- the detachable upper section facilitates convenient execution of measurements and inspections
- with a solid lock to prevent unauthorized access available in various lengths and editions so that the post can be exactly adapted to the applicable requirements

The anchorage


The marker posts and measuring posts come with an earth anchor bar or, in the special edition, with splayed feet.

The sign fastening

- for marker posts, attachment can be made to the screw-fixing channel at any desired height

Aerial-View plates

- the round aerial-view plate made from top-quality Luran S plastic is robust and non-fading
- the powder-coating aluminium aerial-view plate with a roof shape is stable and corrosion resistant
- print prints/folis on request



Marker post with screw-fixing channel

Measuring post modular design





The plastic connecting piece between the upper and lower sections is completely detachable. The entire interior diameter can be used for cabling.



Flexible selection of cable installation. Both an electrical connection board for pole terminals and mounting rails (TS32) for clamp connectors can easily be inserted.







**Measuring posts and marker posts
Aluminium posts**

Description	Type
 Measuring posts - modular design Aluminium (AlMgSi) powder-coated, yellow, incl. electrical connection board for 2x6 pole terminals, earth anchor bar, cap and plastic key The same with splayed feet	Ø 100 mm 1,5 m 2,0 m 2,5 m 3,0 m Ø100 mm 1,5 m 2,0 m 2,5 m 3,0 m
 Marking post with screw-fixing channel Aluminium (AlMgSi), powder-coated, yellow, incl. earth anchor bar and cap	Ø48 mm 2,0 m 2,5 m 3,0 m Ø60 mm 2,0 m 2,5 m 3,0 m Ø100 mm 2,0 m 2,5 m 3,0 m
 Marker post PROFILAL Aluminium (AlMgSi) powder-coated, yellow, with splayed feet and cap	Ø60 mm 2,0 m 2,5 m 3,0 m Ø100 mm 2,0 m 2,5 m 3,0 m
 Special colours available on request - Blank, blue, white, grey, green	



Measuring posts and marker posts Accessories

Description	Type
 Aluminium bracket set – universal incl. 2 screws	Ø48 mm Ø60 mm Ø100 mm
 Accessory for fasstening to screw-fixing channel bag of 100 pieces	V2A screws 5,5 x 16 mm
 Special aluminium earth anchor For posts with screw-fixing channel 250 x 250 x 2,5 mm	Ø48/60 mm Ø60/100 mm
 Aerial-view plates Roof shape Aluminium, powder.coated, yellow, (special colours on request)	330 x 250 mm 500 x 330 mm 600 x 330 mm
Fastening set for aerial-view plate roof shape for direct mounting on posts and aerial-view plate adaptors	
 Round shape Luran S, yellow, (special colours on request) incl. nut/bolt M8 for direct mounting on posts and aerial-view plate adaptors	Ø440 mm
 Aluminium aerial-view plate adaptor set for aluminium marker posts with screw-fixing channel incl. V2A screws	Ø48/60/100 mm
 For Aluminium measuring post and aluminium marker post PROFILAL incl. V2A screws	Ø60 mm Ø100 mm
Pole terminals (4mm socket) Red, black, green, yellow	16 ampere
63 ampere on request Mounting rails for TS 32/35 clamp connectors	L450/280 L550/380



Measuring posts and marker posts Plastic posts PMMA

Our measuring posts and marker posts with PMMA coating continue the winning formula of combining top quality with optimal material properties, security, stability and user-friendliness.

The posts

- made of high-quality weather-resistant plastic
- ABS provides post with high impact strength
- non-fading and UV resistant thanks to co-extruded PMMA coating
- scratch-resistant surface
- fully detachable upper section, provides optimal access for installation and measurement
- solid lock to prevent unauthorized access
- individually packed in foil wrappers

The anchorage


Marker posts and measuring posts come with an earth anchor bar or, in the special edition, with splayed feet

The sign fastening


Attachment is made to the flattened top of the upper section using a backing plate and then a snap-on FP indicator sign.

Aerial-view plates

- the round aerial-view plate made from top-quality Luran-S plastic is robust and non-fading
- the powder-coated aluminium aerial-view plate with a roof shape is stable and corrosion resistant



Special edition with splayed feet



Earth anchor bar



Modular system for flexible cabling



Screwed-on backing plate (can be provided ex-factory)





Snap on the FP indicator sign



Mounting for aerial-view plate adaptor



Test station posts

Description	Type
 Measuring post - modular design plastic, PMMA coating yellow, flat paddle top, for 1 x indikator sign 140x200 mm incl. electrical connection board for 2x6 pole terminals, with earth anchor bar, cap and plastic key, optionally with inspection hatch same for 2 x indikator sign, earth anchor bar same for 1 x indikator sign, splayed feet same for 2 x indikator sign, splayed feet Marker post Ø100 mm Plastic, PMMA coating Yellow, flat paddle top, for 1 x indikator sign 140 x 200 mm, With earth anchor bar same for 2 x indikator sign, earth anchor bar same for 1 x indikator sign, splayed feet same for 2 x indikator sign, splayed feet Same for special colour blue, for 1 x indikator sign, Earth anchor bar Above posts also with flat paddle top for 2 x indikator sign 140 x 200 mm available more special editions and special colours on request Aerial-view plate round shape, yellow incl. nut/bolt M8  Aluminium aerail-view plate adaptor for PMMA post Incl. A2V screws  Pole terminals (4 mm socket) Red, black, green, yellow Mounting rails TS 32 for clamp connectors	Ø100 mm 2,0 m 2,5 m 3,0 m 2,0 m 2,5 m 3,0 m 2,0 m 2,5 m 3,0 m 16 ampere L450/280 L550/380

Forbehold for tekniske ændringer

09-16-211