


System Kennflex



The perfect identificationssystem with accessories

System Kennflex



Prod. gr. 3.1

Cable marker

Material	: Vestolen P7712L
Design	: 2 colours - die casted
Text	: Black
Standard	: Yellow RAL 1023
Advantage	: Heat, cold and ageing resistant Chemical resistant Mounitng both horizontal and vertical Installation also on cableband
Dimensions	: Heights 6 and 13 mm



Prod. gr. 3.2

Plastic signs

Material	: Kellco Termograv
Resistant	: Temperature resistant from -40 to +170°C Kemikaliebestandig

Plastic holder


Material	: Reinforced glasfiber plastic
Resistant	: Temperature resistant from -40 to +170°C Chemical resistant



Prod. gr. 3.4

Metal signs

Material	: Aluminium saltwater resistant Stainless steel
Text	: Engraved
Design	: Round corners Drilled holes




Prod. gr. 3.2.1

Mounting accessories

Material	: Plastic, aluminium, stainless steel
Resistant	: Temperature resistant from -40 to 170° C
Design	: Holder, plates, tension bands, blind rivets, cableband, chains, claws, glue, sortimentsboxes etc.


System Kennflex



Foil and tape

Prod. gr. 3.3

Material	: Polyester or PVC
Desing	: Rolls orr single press
Colours	: DIN 2403
Resistant	: Temperature resistant from -40 to +150°C Chemical resistant Stands steam and high pressure højtryksspuling



Profile rails

Prod. gr. 3.5.3


Material	: Polyethylene
Design	: Rail in black Numbers and letters in red, brown, yellow, green, blue and orange Black writing



Letters and numbers

Prod. gr. 3.5.1

Material	: Vinylfoil
Characteristic	: Durability in 5-7 år Washable Stands steam Unskrinkable Colour fast Temperature resistant from -60 to +110°C



Special signs

Prod. gr. 3.10

Material	: Melamine
Print	: Negative pressure technique
Application	: Tankdiagram Pipediagram After request

System Kennflex

